



		16'2"	3rd Legs
		18'10"	3rd Electric
		19'6"	1/2 Black Border
		22'2"	4th Legs
		23'6"	Black backdrop
		24'2"	White Cyc
		24'10"	
	Arbor Length	8' and 10'	
	Batten Capacity	1600 and 2000 lbs.	
<b>Projection</b>	Projection Screen in front of Front Traveler		
<b>Lighting</b>	<b>Item</b>	<b>Quantity</b>	<b>Description</b>
	Board	1	Leviton Innovator 600
	Three Color Cyc	4	
750watt	S4 50 degree	9	
750watt	S4 36 degree	23	
750watt	S4 26 degree	25	
750watt	S4 19 degree	10	
750watt	S4 10 degree	2	
750watt	MFL PAR	24	24 WFL and 24 NFL lenses to switch
750watt	Fresnel	20	
8 side boom poles are available for the wings. 12 dimmers each side of stage 6 front and 6 back.			
2 mounted booms on the sides of the apron (12 dimmers each).			
<b>Sound</b>	<b>Item</b>	<b>Quantity</b>	<b>Description</b>
Connections to the network are available on stage and the back of the house via ethernet cables. DMX adaptors would be needed.			
	Board	1	Allen & Heath GL Series 2400-424
	auxillary board	1	
	reverberator	1	
	clip on Shure Mic	1	SIX14/85
	wireless Shure mic	2	SLX24/58
	Audio Technica mic	3	U873R
	Shure Mic	2	SM-58
	Whirlwind Direct Box	6	IMP-2
	25' mic cable	6	
	50 ' mic cable	2	
	20' Mic cable	8	
	Shure Mic	1	PG- 48

	Shure Mic	4	SM-57
	Shure Mic	4	SM137
	Kick drum mic	1	52 A
	Crown Mic	4	PCC160
	Shure wireless presentor	1	BLX4R
	Monitors	4	
	floor (boundary) mics.	4	
	hanging mics	3	
	internal communication headsets *	6	
<b>Other Equipment</b>	VGA and audio in booth and on stage	1	
	DVD/CD player in booth	1	
	iPod dock	1	
	Video camera (mounted in catwalks)	1	
	DVD recorder	1	
* 2 channels of internal communication. Stage Left has 1 port for each channel.			
Stage Right has 1 port for each channel.			
Operations booth has one port on each side that switch between channel 1 and 2.			



